

Screening/Assessment Tools for Attention-Deficit/Hyperactivity Disorder (ADHD) and Related Conditions

Condition	Test Name	Measure Details	Cost and Access
ADHD	Vanderbilt Assessment Scales®	Ages 6 to 12 years of age Forms: Parent and teacher Estimated Time: 10 to 20 minutes Description: Brief scale to assess ADHD symptoms of inattention and hyperactivity along with conduct disorder, oppositional defiant disorder, anxiety, depression, and academic performance	Free - can be downloaded at Vanderbilt Rating Scales
ADHD	Swanson, Nolan, and Pelham Teacher and Parent Rating Scale (SNAP- IV)	Ages: 6 to 12 years of age Forms: Parent and teacher Estimated Time: 15 minutes Description: Assessment (DSM-IV criteria) for ADHD that also includes oppositional defiant disorder and conduct disorder	Free - can be downloaded at SNAP-IV
For additional ADHD rating scales and interviews, SEE APPENDIX 1.2 & 1.3			
Anxiety	Screen for Child Anxiety Related Disorders (SCARED)	Ages: 8 to 18 years of age Forms: Parent and child (self-report) Estimated Time: 10 minutes Description: Screening tool for overall anxiety and five specific anxiety types of panic/somatic, generalized anxiety, separation anxiety, social phobia, and school phobia	Free - can be downloaded at SCARED Parent and Child Forms
Anxiety	Generalized Anxiety Disorder-7 (GAD-7)	Ages: 11 years of age and older Forms: Self-report Estimated Time: Less than 5 minutes Description: Screening tool to evaluate the presence and severity of generalized anxiety disorder	Free - can be downloaded at GAD-7
Anxiety and Depression	Revised Children's Anxiety and Depression Scale (and Subscales) (RCADS)	Ages: 8 to 18 years of age Forms: Parent and child (self-report) Estimated Time: 5 to 10 minutes Description: Questionnaire that includes subscales for separation anxiety disorder, social phobia, generalized anxiety disorder, panic disorder, obsessive compulsive disorder, and major depressive disorder	Free - can be downloaded at RCADS

Screening/Assessment Tools for Attention-Deficit/Hyperactivity Disorder (ADHD) and Related Conditions

Condition	Test Name	Measure Details	Cost and Access
Depression	Patient Health Questionnaire-9 (PHQ-9) [®]	Ages: 12 years of age and older Forms: Self-report Estimated Time: 5 minutes Description: Questionnaire that assesses depression symptoms	Free - can be downloaded at PHQ-9
Depression	Center for Epidemiological Studies Depression Scale for Children (CES-DC)	Ages: 6 to 17 years of age Forms: Child (self-report) Estimated Time: 5 minutes Description: Scale used to assess depressive symptoms	Free - can be downloaded at CES-DC CES-DC Scoring
Bipolar Disorder (Mania or Mixed)	The Mood Disorder Questionnaire	Ages: 11 years of age and older Forms: Self-report Estimated Time: 5 to 10 minutes Description: Screening tool for bipolar disorder that assesses symptoms of mania	Free - can be downloaded at The Mood Disorder Questionnaire
Bipolar Disorder (Mania or Mixed)	General Behavior Inventory (GBI)	Ages: 18 years of age and older Forms: Self-report Estimated Time: 15 minutes Description: Self-report used to identify presence and severity of depressive and manic/hypomanic symptoms, including cyclothymia	Free - can be downloaded at GBI
Autism	Modified Checklist for Autism in Toddlers, Revised, with Follow-up (M-CHAT-R/F) [®]	Ages: 16 to 30 months of age Forms: Parent Estimated Time: 5 minutes Description: Two-stage parent-report screening tool to assess risk for Autism Spectrum Disorder	Free for clinical, research and educational purposes - can be downloaded at M-CHAT-R/F
Autism	Autism Spectrum Screening Questionnaire (ASSQ)	Ages: 6 to 17 years of age Forms: Parent or teacher Estimated Time: 10 minutes Description: Screening instrument for autistic disorders in high-functioning children, including Asperger's disorder	Free - can be downloaded at ASSQ

Screening/Assessment Tools for Attention-Deficit/Hyperactivity Disorder (ADHD) and Related Conditions

Condition	Test Name	Measure Details	Cost and Access
Trauma	Post-Traumatic Stress Disorder Checklist Civilian Version (PCL-C)	Ages: 18 years of age and older Forms: Self-report Estimated Time: 5 to 10 minutes Description: Screening tool to assess for Post-Traumatic Stress Disorder (PTSD) and monitor symptom changes during and after treatment	Free - can be downloaded at PCL-C
Trauma	Clinician- Administered PTSD Scale for <i>DSM-5</i> - Child/ Adolescent Version (CAPS- CA-5)	Ages: 7 to 17 years of age Forms: Clinician-administered Estimated Time: 45 minutes Description: Scale used to assess for 30 DSM-5 PTSD symptoms	Forms can be requested at CAPS-CA-5
Learning Disorder(s)	Wechsler Intelligence Scale for Children Fifth Edition (WISC-V) [®]	Ages: 6 to 16 years of age Forms: Administered test Estimated Time: 60 minutes Description: Intelligence test that measures a child's intellectual ability and cognitive domains that impact performance	Can be purchased from WISC-V
Learning Disorder(s)	Wechsler Individual Achievement Test Fourth Edition (WVIAT-4) [®]	Ages: 4 to 50 years of age Forms: Administered test Estimated Time: Varies by grade level and number of subtests administered Description: Analyses of academic achievement to support diagnoses of specific learning disabilities	Can be purchased from WIAT-4
Oppositional Defiant Disorder	Vanderbilt Assessment Scales [®]	Ages: 6 to 12 years Forms: Parent and teacher Estimated Time: 10 to 20 minutes Description: Brief scale to assess ADHD symptoms of inattention and hyperactivity along with conduct disorder, oppositional defiant disorder, anxiety, depression, and academic performance	Free - can be downloaded at Vanderbilt
Oppositional Defiant Disorder	Swanson, Nolan, and Pelham-IV SNAP-IV	Ages: 6 to 12 years Forms: Parent and teacher Estimated Time: 15 minutes Description: Assessment (DSM-IV criteria) for ADHD which also includes oppositional defiant disorder and conduct disorder	Free - can be downloaded at SNAP-IV

References for Appendix 1.4: Screening/Assessment Tools for ADHD and Related Conditions

- “Autism Spectrum Screening Questionnaire (ASSQ).” NovoPsych, 15 Mar. 2021, <https://novopsych.com.au/assessments/diagnosis/autism-spectrum-screening-questionnaire-assq/>.
- Autism spectrum screening questionnaire(Assq). (2021, March 15). *NovoPsych*. <https://novopsych.com.au/assessments/diagnosis/autism-spectrum-screening-questionnaire-assq/>
- Blevins, C. A., Weathers, F. W., Davis, M. T., Witte, T. K., & Domino, J. L. (2015). The posttraumatic stress disorder checklist for *dsm-5* (PCL-5): Development and initial psychometric evaluation: Posttraumatic stress disorder checklist for *dsm-5*. *Journal of Traumatic Stress*, 28(6), 489–498. <https://doi.org/10.1002/jts.22059>
- Bright Futures. (n.d.). *Center for Epidemiological Studies Depression Scale for Children (CES-DC)*. https://www.brightfutures.org/mentalhealth/pdf/professionals/bridges/ces_dc.pdf
- Center for Epidemiological Studies Depression Scale for Children (CES-DC)*. (2017). Center for Epidemiological Studies Depression Scale for Children (CES-DC); theSHAPEsystem. https://www.theshapesystem.com/wp-content/uploads/2019/09/CES-DC_FINAL_11.29.17.pdf
- Child Outcomes Research Consortium. (n.d.). *Revised Children’s Anxiety and Depression Scale (and Subscales) (RCADS)*. <https://www.corc.uk.net/outcome-experience-measures/revised-childrens-anxiety-and-depression-scale-rcads/>
- Durodoye, B. A., & Jones, B. (Eds.). (2022). *Child and adolescent counseling: An integrated approach*. Springer Publishing.
- Fletcher, J. M., Francis, D. J., Morris, R. D., & Lyon, G. R. (2005). Evidence-based assessment of learning disabilities in children and adolescents. *Journal of Clinical Child & Adolescent Psychology*, 34(3), 506–522. https://doi.org/10.1207/s15374424jccp3403_7
- General Behavior Inventory*. (n.d.). https://cls.unc.edu/wp-content/uploads/sites/3019/2014/06/GBI_self_English_v1a.pdf
- Hirschfeld, R. M. A., Williams, J. B. W., Spitzer, R. L., Calabrese, J. R., Flynn, L., Keck, P. E., Lewis, L., McElroy, S. L., Post, R. M., Rappaport, D. J., Russell, J. M., Sachs, G. S., & Zajecka, J. (2000). Development and validation of a screening instrument for bipolar spectrum disorder: The mood disorder questionnaire. *American Journal of Psychiatry*, 157(11), 1873–1875. <https://doi.org/10.1176/appi.ajp.157.11.1873>
- International Bipolar Foundation. (2016, 11). *The Mood Disorder Questionnaire (MDQ) - Overview*. Retrieved 12 28, 2022, from International Bipolar Foundation;: <https://ibpf.org/wp-content/uploads/2016/11/MDQ.pdf>
- Mürner-Lavanchy, I., Kaess, M., & Koenig, J. (2023). Diagnostic instruments for the assessment of disruptive mood dysregulation disorder: A systematic review of the literature. *European Child & Adolescent Psychiatry*, 32(1), 17–39. <https://doi.org/10.1007/s00787-021-01840-4>
- National Center for PTSD. (2022a, November 10). *Clinician-Administered PTSD Scale for DSM-5 (CAPS-5)*. Retrieved February 9, 2022, from U.S. Department of Veterans Affairs: <https://www.ptsd.va.gov/professional/assessment/adult-int/caps.asp>
- National Center for PTSD. (2022b, November 10). *PTSD Checklist for DSM-5 (PCL-5)*. <https://www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp#obtain>

- National Institute for Children's Health Quality (NICHQ). (2002). *NICHQ Vanderbilt Assessment Scale Used for diagnosing ADHD*. Retrieved January 6, 2022, from National Institute for Children's Health Quality: <https://www.nichq.org/sites/default/files/resource-file/NICHQ-Vanderbilt-Assessment-Scales.pdf>
- Pendergast, L. L., Youngstrom, E. A., Brown, C., Jensen, D., Abramson, L. Y., & Alloy, L. B. (2015). Structural invariance of general behavior inventory (Gbi) scores in black and white young adults. *Psychological Assessment, 27*(1), 21–30. <https://doi.org/10.1037/pas0000020>
- Randall, M., Egberts, K. J., Samtani, A., Scholten, R. J., Hooft, L., Livingstone, N., Sterling-Levis, K., Woolfenden, S., & Williams, K. (2018). Diagnostic tests for autism spectrum disorder (Asd) in preschool children. *Cochrane Database of Systematic Reviews, 2018*(7). <https://doi.org/10.1002/14651858.CD009044.pub2>
- Robins, D. L., Fein, D., & Barton, M. (2018, August 10). *Modified Checklist for Autism in Toddlers, Revised, with Follow-Up*. Retrieved February 9, 2022, from https://securerusercontent.com/104.238.68.130/545.e42.myftpupload.com/wp-content/uploads/2015/09/M-CHAT-R_F_Rev_Aug2018.pdf
- Screen for Child Anxiety Related Disorders (SCARED)*. (n.d.). Retrieved December 5, 2022, from Oregon Health & Science University: <https://www.ohsu.edu/sites/default/files/2019-06/SCARED-form-Parent-and-Child-version.pdf>
- Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Löwe, B. (2006). A brief measure for assessing generalized anxiety disorder: The gad-7. *Archives of Internal Medicine, 166*(10), 1092. <https://doi.org/10.1001/archinte.166.10.1092>
- Swanson, J. M. (n.d.). *The SNAP-IV Teacher and Parent Rating Scale*. <https://medicine.usask.ca/documents/psychiatry/snap-iv-form.pdf>
- University of Pittsburgh. (2022). *Child and Adolescent Bipolar Spectrum Services*. Retrieved February 25, 2022, from University of Pittsburgh: <https://www.pediatricbipolar.pitt.edu/resources/instruments>
- Verhulst, F. C., & van der Ende, J. (2006). *Assessment Scales in Child and Adolescent Psychiatry*. <https://drmsimullick.com/wp-content/uploads/2020/07/Assessment-Scales-in-C-A-psychiatry.pdf>
- Wechsler intelligence scale for children | fifth edition*. (n.d.). Retrieved February 9, 2022, from <https://www.pearsonassessments.com/store/usassessments/en/Store/Professional-Assessments/Cognition-%26-Neuro/Gifted-%26-Talented/Wechsler-Intelligence-Scale-for-Children-%7C-Fifth-Edition-/p/100000771.html>
- Youngstrom, E., Meyers, O., Demeter, C., Youngstrom, J., Morello, L., Piiparinen, R., Feeny, N., Calabrese, J. R., & Findling, R. L. (2005). Comparing diagnostic checklists for pediatric bipolar disorder in academic and community mental health settings. *Bipolar Disorders, 7*(6), 507–517. <https://doi.org/10.1111/j.1399-5618.2005.00269.x>